Pergamon

*Int. Comm. Heat Mass Transfer*, Vol. 29, No. 8, pp. 1187–1194, 2002
Copyright © 2002 Elsevier Science Ltd
Printed in the USA. All rights reserved
0735–1933/02/$–see front matter

PII: S0735-1933(02)00447-5

# LIST OF CONTENTS FOR VOLUME 29, 2002

## INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 1 January

Contents


| | | |
|---|---|---|
| W.T. Kim and Y.I. Cho | 1 | A study of scale formation around air bubble attached on a heat-transfer surface |
| R.C. Aldredge | 15 | Taylor-Couette burner for studies of hydrodynamically unstable weakly turbulent premixed flames |
| A.V. Kuznetsov and M. Xiong | 25 | Dependence of microporosity formation on the direction of solidification |
| A.V. Kuznetsov and M. Xiong | 35 | Effect of evaporation on thin film deposition in dip coating process |
| L. Wang and B. Sunden | 45 | Performance comparison of some tube inserts |
| G.F. Naterer | 57 | Energy balances at the air/liquid and liquid/solid interfaces with incoming droplets at a moving ice boundary |
| J. Tscherry, P. Cooper and W.K. Soh | 67 | Flow generated by colliding laminar natural convection boundary layers |
| H. Gunes | 77 | Low-dimensional modeling of non-isothermal twin-jet flow |
| H.-M. Chou, R.-F. Horng and Y.-S. Liu | 87 | The effects of vibration and reciprocating on boiling heat transfer in cylindrical container |
| Y.K. Shen, J.J. Liu, C.T. Chang and C.Y. Chiu | 97 | Comparison of the results for semisolid and plastic injection molding process |
| S. Kim, M.C. Kim and K.Y. Kim | 107 | An integral approach to the inverse estimation of temperature-dependent thermal conductivity without internal measurements |
| T.-C. Shih, H.-S. Kou and W.-L. Lin | 115 | Effect of effective tissue conductivity on thermal dose distributions of living tissue with directional blood flow during thermal therapy |
| S. Kim and M.C. Kim | 127 | A scale analysis of turbulent heat transfer driven by buoyancy in a porous layer with homogeneous heat sources |
| M.S. Mohsen and B.A. Akash | 135 | On integrated solar water heating system |
| X.Y. You | 141 | Squire theorem with variable physical properties |

INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 2 February

Contents


| | | |
|---|---|---|
| S.H. Lee and Y.I. Cho | 145 | Study of the performance of physical water treatment with a solenoid coil to prevent mineral fouling. Part 1: Effect of a side-stream filtration |
| S.H. Lee and Y.I. Cho | 157 | Study of the performance of physical water treatment with a solenoid coil to prevent mineral fouling. Part 2: Effect of air bubbles |
| B.R. Becker and B.A. Fricke | 165 | Hydrocooling time estimation methods |
| A.V. Kuznetsov and A.A. Avramenko | 175 | A 2D analysis of stability of bioconvection in a fluid saturated porous medium – estimation of the critical permeability value |
| D.G. Prabhanjan, G.S.V. Raghavan and T.J. Rennie | 185 | Comparison of heat transfer rates between a straight tube heat exchanger and a helically coiled heat exchanger |
| M.C. Kim, S. Kim, H.J. Lee, Y.J. Lee, K.Y. Kim and S. Anghaie | 193 | An experimental study of electrical impedance tomography for the two-phase flow visualization |
| S. Shin, Y.-N. Kim and J.-H. Lee | 203 | Viscosity and conductivity measurements for dilute dispersions of rodlike paraffin particles in silicone oil |
| M. Vargas, F.Z. Sierra, E. Ramos and A.A. Avramenko | 213 | Steady natural convection in a cylindrical cavity |
| L. Goldstein Jr., F.L. Fassani, A.A.B. Santos and C.A. Ferrari | 223 | Experimental study of secondary air diffusion effects on soot concentration along a partially premixed acetylene/air flame |
| A. Valencia | 233 | The effects on heat transfer of unsteady flow around two square bars mounted staggered in a plane channel |
| B.S. Yilbas, M. Kalyon and S.Z. Shuja | 243 | Parametric variation analysis on time corresponding to initiation and ending of evaporation during laser heating |
| J.L. Niu and L.Z. Zhang | 255 | Effects of wall thickness on the heat and moisture transfers in desiccant wheels for air dehumidification and enthalpy recovery |
| B. Kundu | 269 | An analytical study of the effect of dehumidification of air on the performance and optimization of straight tapered fins |
| A.K. Satapathy and R.K. Sahoo | 279 | Analysis of rewetting of an infinite tube by numerical Fourier inversion |

INTERNATIONAL COMMUMICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 3 April

Contents


| | | |
|---|---|---|
| S. Fiedler, H. Auracher and D. Winkelmann | 289 | Effect of inclination on flooding and heat transfer during reflux condensation in a small diameter tube |
| A. Durmus | 303 | Heat transfer and exergy loss in a concentric heat exchanger with snail entrance |
| A. Barba, S. Rainieri and M. Spiga | 313 | Heat transfer enhancements in a corrugated tube |
| B. Yesilata | 323 | Temperature induced viscosity variation in polymeric flow |
| G. Xu and A. Nakayama | 335 | The concept of known-velocity boundary for automatic setting of boundary conditions |
| S.P. Das, S. Chakraborty and P. Dutta | 345 | Natural convection in a two-dimensional enclosure heated symmetrically from both sides |
| E. Buyruk | 355 | Numerical study of heat transfer characteristics on tandem cylinders, inline and staggered tube banks in cross-flow of air |
| S.-S. Chu and W.-J. Chang | 367 | Hybrid numerical method for transient analysis of two-dimensional pin fins with variable heat transfer coefficients |
| R. Nazar, N. Amin, T. Grosan and I. Pop | 377 | Free convection boundary layer on an isothermal sphere in a micropolar fluid |
| S. Wongwises, W. Duangthongsuk and P. Naphon | 387 | Tube-side two-phase heat transfer coefficients of refrigerant HFC-134a flowing through a fin-and-tube evaporator |
| J.L. Xia and T. Ahokainen | 401 | Three-dimensional flow and heat transfer in slag |
| C.L. Chang, C.D. Ho and H.M. Yeh | 413 | Cool thermal storage coupled with water treatment by normal freezing of dilute aqueous solutions |
| Y.K. Shen and W.Y. Wu | 423 | An analysis of the three-dimensional micro-injection molding |

**INTERNATIONAL COMMUMICATIONS IN HEAT AND MASS TRANSFER**

**2002** **Volume 29, Number 4** **May**

**Contents**


| | | |
|---|---|---|
| R. Delahaye, A. Bahloul and P. Vasseur | 433 | Influence of the Soret effect on convection in a binary fluid layer with a free upper surface |
| D. Lelea | 443 | Numerical heat transfer fluid flow through channels with fins with varying cross-section in the streamwise direction |
| C. Riverol and V. Napolitano | 453 | Estimation of the overall heat transfer coefficient in a tubular heat exchanger under fouling using neural networks. Application in a flash pasteurizer |
| S.-C. Chen, S.-M. Wang and W.-L. Liaw | 459 | Fast-response pressure regulation system for thin-wall gas-assisted injection molding |
| M.C. Kimtr, S. Kim and C.K. Choi | 469 | The effects of stable thermal stratification on the onset of double-diffusive convection |
| S.W. Ahn and K.P. Son | 479 | Heat transfer and pressure drop in the roughened equilateral triangular duct |
| R. Tsai and L.J. Liang | 489 | Inertial effect on aerosol particle deposition from an axisymmetric stagnation point flow approximation |
| Z. Zhu, X. Zhu and J. Sun | 497 | Numerical analysis of heat transfer in a photovoltaic panel, I: indoor cases |
| N.M. Rao, M. Mishra, B. Maiti and P.K. Das | 509 | Effect of end heat exchanger parameters on the performance of a natural circulation loop |
| J.S. Jayakumar, R.B. Grover and V.H. Arakeri | 519 | Response of a two phase system subject to oscillations induced by the motion of its support structure |
| R.E. Santander and V. Bubnovich | 531 | Assessment of mass and heat transfer mechanisms in unsaturated soil |
| M. Tuztas and A.N. Egrican | 547 | Mathematical model of finned tube heat exchangers for thermal simulation software of air conditioners |
| H. Xie and Z. Zhou | 557 | Numerical analysis on performance of passive heat removal from high temperature gas-cooled reactor using phoenics |
| I.A. Hassanien and M.H. Obied Allah | 567 | Oscillatory hydromagnetic flow through a porous medium with variable permeability in the presence of free convection and mass transfer flow |

INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 5 July

Contents


| | | |
|---|---|---|
| S. Mahmud and R.A. Fraser | 577 | Inherent irreversibility of channel and pipe flows for non-Newtonian fluids |
| B. Yesilata | 589 | Effect of viscous dissipation on polymeric flows between two rotating coaxial parallel discs |
| N.F.P. Ribeiro, N.T. Machado, E.N. Macêdo, J.N.N. Quaresma and J.A. Lima | 601 | Integral transform approach in chemically reacting non-Newtonian flows |
| A.V. Pantaleão, C.R. DeAndrade and E.L. Zaparoli | 611 | The effect of anisotropic thermal conductivity on the pultrusion process simulation |
| F. Amyot, K. Jurski, J. Dufaux and G. Guiffant | 623 | An experimental and theoretical study of mass transfer from loaded embolisation microbeads: possible optimisation |
| S. Lorente and B. Lartigue | 633 | Maximization of heat flow through a cavity with natural convection and deformable boundaries |
| Y.K. Shen, S.L. Yeh and S.H. Chen | 643 | Three-dimensional non-Newtonian computations of micro-injection molding with the finite element method |
| H.A. Attia | 653 | On the effectiveness of uniform suction-injection on the unsteady flow due to a rotating disk with heat transfer |
| M.E. Arıcı | 663 | Determination and use of the optimal variation of pipe wall thickness for laminar forced convection heat transfer |
| Y.-T. Lin, M.-Y. Chen and S.-L. Ji | 673 | Convective heat transfer from the surface of a heat plate impinged by a reciprocating jet flow |
| R. Hadef and B. Leduc | 683 | Etude comparative de modeles a bas nombre de Reynolds dans la prediction d'un ecoulement a point de stagnation |
| S. Mahmud and R.A. Fraser | 697 | Irreversibility analysis of concentrically rotating annuli |
| S.P. Anjali Devi and R. Kandasamy | 707 | Effects of chemical reaction, heat and mass transfer on non-linear MHD laminar boundry-layer flow over a wedge with suction or injection |
| M. Bourich, M. Hasnaoui, A. Amahmid and M. Mamou | 717 | Soret driven thermosolutal convection in a shallow porous enclosure |
| G.Y. Han and D.L. Hetrick | 729 | A letter to the Editor |

**INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER**

**2002** **Volume 29, Number 6** **August**

**Contents**


| | | |
|---|---|---|
| B.A. Fricke and B.R. Becker | 731 | Calculation of heat transfer coefficients for foods |
| D.G. Blinov, V.G. Prokopov, Y.V. Sherenkovskii, N.M. Fialko and V.L. Yurchuk | 741 | Simulation of natural convection problems based on low–dimensional model |
| M. Prud'homme and T.H. Nguyen | 749 | Parallel flow stability under a uniform heat flux: effect of the Prandtl number |
| T. Fang | 757 | An extension of Wien's displacement law for blackbody radiation |
| X. Chen and B. Xu | 763 | The Nusselt number and friction factor at the entrance of a micro-duct |
| M. Issa, K. Ishida and M. Monde | 773 | Mass and heat transfers during absorption of ammonia into ammonia water mixture |
| S. Kim, B.-J. Chung, M.C. Kim and K.Y. Kim | 787 | A note on the direct estimation of thermal properties in a transient nonlinear heat conduction medium |
| P. Naphon and S. Wongwises | 797 | An experimental study on the in-tube convective heat transfer coefficients in a spiral coil heat exchanger |
| S. Chantasiriwan | 811 | Steady-state determination of temperature-dependent thermal conductivity |
| A. Valencia, M. Cordova and J. Ortega | 821 | Numerical simulation of gas bubbles formation at a submerged orifice in a liquid |
| C. Yildiz, I.T. Togrul, C. Sarsilmaz and D. Pehlivan | 831 | Thermal efficiency of an air solar collector with extended absorption surface and increased convection |
| A.A. Ozalp and H. Umur | 841 | Flow and heat transfer measurements in laminar and turbulent convex surface boundary layers |
| M.H. Saidi and A. Moradian | 853 | Availability analysis for the homogeneous nucleation of a single bubble under electrohydrodynamic phenomenon |
| M.H. Rahimian and A. Pourshaghaghy | 867 | Direct simulation of forced convection flow in a parallel plate channel filled with porous media |

INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 7 October

Contents


| | | |
|---|---|---|
| S.K. Kim, J.G. Opperer and I.M. Daniel | 879 | Determination of permeability of fibrous medium considering inertial effects |
| Z.-H. Jin | 887 | An asymptotic solution of temperature field in a strip of a functionally graded material |
| K. Benhadji, L. Robillard and P. Vasseur | 897 | Convection in a porous cavity saturated with water near 4°C and subject to Dirichlet-Neumann thermal boundary conditions |
| S.H. Tasnim and S. Mahmud | 907 | Entropy generation in a vertical concentric channel with temperature dependent viscosity |
| M.C. Kim, S. Kim and C.K. Choi | 919 | Convective instability in fluid-saturated porous layer under uniform volumetric heat sources |
| Y. Shi, M.B. Ray and A.S. Mujumdar | 929 | Effects of prandtl number on impinging jet heat transfer under a semi-confined turbulent slot jet |
| C.D. Ho and C.K. Wang | 939 | Cool thermal discharge obtained by air flowing over melting ice with producing chilled air |
| H.M. Chou, R.F. Horng, Y.S. Liu and J.L. Wong | 951 | The effect of grooved pattern on enhanced boiling heat transfer in a cylindrical tank base with a constant surface area |
| Y.K. Shen and H.C. Lee | 961 | Three-dimensional simulation of flip chip encapsulation process |
| C. Kurtcebe and M.Z. Erim | 971 | Heat transfer of a non-newtonian viscoinelastic fluid in an axisymmetric channel with a porous wall for turbine cooling application |
| H.A. Attia | 983 | Hall current effect on the unsteady Von Karman problem with heat transfer |
| S. Mahmud, P.K. Das and N. Hyder | 993 | Laminar natural convection around an isothermal square cylinder at different orientations |
| S. Mahmud | 1005 | Free convection inside an L-shaped enclosure |
| R.N. Krikkis and P. Razelos | 1015 | The heat transfer from a rectangular fin with asymmetrical boundary conditions |

INTERNATIONAL COMMUNICATIONS IN HEAT AND MASS TRANSFER

2002 Volume 29, Number 8 November

Contents


| | | |
|---|---|---|
| H. Feng | 1021 | Analysis of microwave assisted fluidized-bed drying of particulate product with simplified heat and transfer model |
| S.K. Kim and W.I. Lee | 1029 | An inverse method for estimating thermophysical properties of fluid flowing in a circular duct |
| I. Vušanović and M.J.M. Krane | 1037 | Microsegragation during solidification of Al-Cu-Mg alloys with varying composition |
| M.K. Groff, S.J. Ormiston, H.M. Soliman, V. Srzic and O.A. Ramirez-Iraheta | 1047 | An algebraically-explicit correlation for forced-convection condensation of steam-air and stream-hydrogen on horizontal plates |
| G. Xu and R.A. Antonia | 1057 | Effect of inital conditions on the temperature field of a turbulent round free jet |
| S. Shin and J.-H. Lee | 1069 | The effect of traversal vibration on the suspension viscosity |
| Y.C. Shiah and C.Y. Lin | 1079 | Anisotropic heat conduction involving internal arbitrary volume heat generation rate |
| M.C. Kim, S.B. Lee, B.-J. Chung and S. Kim | 1089 | Heat transfer correlation in fluid-saturated porous layer under uniform volumetric heat sources |
| A. Pinarbasi and M. Imal | 1099 | Nonisothermal channel flow of a non-Newtonian fluid with viscous heating |
| T.-M. Liou, K.C. Shih, S.W. Chau and S.C. Chen | 1109 | Three-dimensional simulations of the droplet formation during the inkjet printing process |
| A.J. Chamkha, T. Groşan and I. Pop | 1119 | Fully developed free convection of a micropolar fluid in a vertical channel |
| R. Nazar, N. Amin, T. Groşan and I. Pop | 1129 | Free convection boundary layer on a sphere with constant surface heat flux in a micropolar fluid |
| B. Madhu Latha, P.R. Prasad, S.S. Rao and V. Sujatha | 1139 | Studies on ionic mass transfer in a rectangular cell—influence of rectangular transverse baffles |
| L.C. Zheng, X.X. Zhang and J.C. He | 1151 | Tranfer behavior for a class of generalized *N*-diffusion equations in an infinite medium |
| A. Al-Sarkhi, B.A. Akash, J.O. Jaber, M.S. Mohsen and E. Abu-Nada | 1159 | Efficiency of Miller engine at maximum power density |
| S.S. Okoya | 1169 | On the behaviour of solutions to a system of ordinary differential equations modelling branched chain reaction |
| I. Atmaca, A. Yigit and M. Kilic | 1177 | The effect of input temperatures on the absorber parameters |
| | 1187 | Contents of Volume 29 |
| | 1195 | Author Index to Volume 29 |